CERTIFICATE OF CONSTANCY OF PERFORMANCE

Certificate No.
0843-CPR-1394

Issue date
30/09/2024

Issue No.
1

Re-Issue date
N/A

UKAS PRODUCT CERTIFICATION
470519

This is to certify that UL International (UK) Ltd. did undertake the relevant AVCP procedures for the equipment identified below which was found to be in compliance with the Construction Products Regulation 2011 as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020, subject to any conditions attached hereto.

Manufacturer:
Astroflame Fireseals Ltd

Address:
Unit 8, The I.O. Centre
Stephenson Road
Segensworth
Fareham
Hampshire
PO15 5RU

Product:
Astro X Series CE Pipe Wrap UL

Places of production:
A/008

Harmonized requirements
EAD 350454-00-1104, September 2017

Scope of Certificate
0843-UKTA-24/0045 issued on 30/09/2024

On behalf of the Head of Approved Body:

David Yates

Issued by UL International (UK) Ltd, Approved Body 0843.

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in UKTA 24/0045 of the above referenced standards, under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate will remain valid as long as neither the EAD, UK Technical Assessments, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the UK Approved body.

UL International (UK) Limited
Unit 1-4 Horizon, Kingsland Business Park, Wade Rd.,
Basingstoke. RG24 8AH United Kingdom

© 2024 UL LLC. All rights reserved.

Detailed information sheet:

Product Reference:	Astro X Series CE Pipe Wrap UL
Type:	Firestop – Penetration Seal
Description:	Astro X Series CE Pipe Wrap UL is installed around combustible pipes to form a penetration seal used to reinstate the fire resistance performance of wall and floor constructions, where they have been provided with apertures for the penetration of combustible pipe services
Key Performance parameters:	See UKTA 24/0045
Accessories:	Astro Intu Mastic
Identification and intended use	label or direct on the product. To be used in accordance with the supplier's installation instructions

UL International (UK) Limited
Unit 1-4 Horizon, Kingsland Business Park, Wade Rd.,
Basingstoke. RG24 8AH United Kingdom

© 2024 UL LLC. All rights reserved.

Limitations on the acceptance or use of the product(s):

Installation instructions	To be used in accordance with the supplier's installation instructions, technical datasheet and UKTA.
Limitations	See Technical Data Sheet and the UKTA
UL Report:	4791200223

Terms and Conditions:

1. This certificate remains the property of UL International (UK) Ltd, herein "UL UK", and will be withdrawn if any conditions attached to its issue are not complied with.
2. This certificate is issued subject to the Global Services Agreement (GSA) and UKCA CPR Service Terms.
3. Production is limited to the site(s) as listed, or detailed within the Technical documentation held by UL UK.
4. Any product change, production/process changes, etc. which may affect conformity shall be notified to UL UK.
5. This certificate is only valid for placing goods on the market of United Kingdom excluding Northern Ireland.

END OF CERTIFICATE

UL International (UK) Limited
Unit 1-4 Horizon, Kingsland Business Park, Wade Rd.,
Basingstoke. RG24 8AH United Kingdom

© 2024 UL LLC. All rights reserved.