COLOUR INFORMATION


Our wide range of colours for our door edge protector provides inspiration for all types of buildings; from hospitals and offices, to bright and bold nurseries and schools – there's a perfect colour and finish available to suit every project.

STANDARD FINISHES

Our door edge protectors, come in the FalmouthEx finish as standard and is available in all colours overleaf.

The Falmouth finish is smooth with light stippling. Available in a range of NCS colours with varying light reflective values (LRV).

Manufactured to order – please contact us for accurate delivery dates.



FalmouthEX

Note: The limitations of the printing process mean the finishes shown here may not be exactly the same as the seals supplied. We can supply free samples to assist colour matching.

COLOUR INFORMATION

STANDARD COLOURS

Available in a range of NCS colours with varying light reflective values (LRV). Manufactured to order – please contact us for accurate delivery dates.

Please note that the DS profile is normally supplied with black fins; white fins are also available, please call us for further information.


Raspberry Red


Red


Tangerine


Yellow

Primrose

Grapefruit

Pale Green


Pastel Green


Sage Green


Green


Opal Green


Slate Green


Light green


Aqua Blue

Sky Blue


Pigeon Blue


Powder Blue


Cornflower


Pastel Blue


Regatta Blue


Royal Blue


Dark Blue


Trafalgar Blue


Steel Blue


Amethyst


Lavender


Heather


Aubergine


Lilac


Blush


Bordeaux


Burgundy


Terracotta


Brown


Orange


Mocha


Avocado


Buff


Mushroom

Pink Rose

Cream

White

Light Grey


Mid Grey **(HX)**


Dusty Grey


Graphite


Dark Grey


Black

Note: The limitations of the printing process mean the colours shown here may not be exactly the same as the seals supplied. The colours shown are for identification purposes only. We can supply free samples to assist colour matching.

COLOUR INFORMATION

LRV - LIGHT REFLECTANCE VALUE

An LRV is a value given to a surface to denote the amount of light reflected and can be used to measure colour contrast between surfaces. These values have been determined with reference to the CIELAB colour measurement method. The L co-ordinate represents lightness and extends from 0 (Black) to 100 (White) and has been used as a measure of light reflectance value.

NCS - NATURAL COLOUR SYSTEM

NCS is a user friendly colour language and is the only colour system that describes colour exactly as we see it. NCS is used by professionals as a tool for precise colour communication, selection and specification.

	LRV	NCS
BLACK	4	9000-N
STEEL BLUE	6	7020-R80B
BROWN	7	8005-Y80R
BORDEAUX	7	5040-R20B
AUBERGINE	7	6030-R50B
DARK BLUE	8	4055-R70
OPAL GREEN	8	7020-B70G
BURGUNDY	9	3560-Y90R
AMETHYST	9	5020-R70B
TERRACOTTA	10	4050-Y90
ROYAL BLUE	11	3065-R90B
TRAFALGAR BLUE	11	6020-R80B
RASPBERRY RED	12	2070-R
DARK GREY (HX)	12	7005-R80
SLATE GREEN	12	7005-G20Y

	LRV	NCS
ORANGE	14	3060-Y80R
RED	15	1508-Y80R
REGATTA BLUE	15	3060-B
BLUSH	16	5020-R
GREEN	17	3060-G
CORNFLOWER BLUE	19	3050-B
LILAC	19	4030-R40B
PASTEL BLUE	20	4030-B
GRAPHITE	21	5502-B
HEATHER	23	3040-R70B
MOCHA	24	5005-Y50R
DUSTY GREY (HX)	26	5000-N
AQUA BLUE	26	3040-B40G
AVOCADO	33	4010-Y10R
TANGERINE	33	1060-Y70R

	LRV	NCS
BUFF	36	3020-Y30R
MID GREY	37	3502-B
LAVENDER	39	3010-R60B
SAGE GREEN	39	3010-G10Y
LIGHT GREEN	43	2030-B60G
PIGEON BLUE	45	202-B10G
PASTEL GREEN	49	2020-G30Y
MUSHROOM	51	2010-Y40R
YELLOW	51	1070-Y10R

	LRV	NCS
POWDER BLUE	55	1515-R90B
LIGHT GREY)	57	2000-N
SKY BLUE	60	1020-B10G
PALE GREEN	70	1010-G40Y
PINK ROSE	71	0515-Y90R
GRAPEFRUIT	72	0550-G90Y
PRIMROSE	73	0530-Y10R
CREAM)	79	0804-Y10R
WHITE	86	0500-N